

	<p>Title: Region 5 Hospital Minimum Readiness Equipment</p> <p>(NOTE: minimum standards have been identified for PPE, decon and mass fatality at each hospital We are currently developing minimum standards for evacuation equipment and will build evacuation caches across the region.</p>		
a.	<p>Task and Purpose: Ensure that all hospitals within the region are prepared to respond to mass casualty events.</p>	b.	<p>Mission: Keep all hospitals within Region 5 at minimum readiness standards (see attached standards)</p>
c.	<p>ESFs: ESF8</p>	d.	<p>Limitations: Stay within project funding limitations</p>
e.	<p>Personnel/Positions: Hospital Personnel</p>	f.	<p>Equipment: Equipment is documented in Royal 4.</p>
g.	<p>Required Support: Coalition funded project to keep hospitals at minimum readiness standards Hospital Equipment Committee</p>	h.	<p>Works With: Central Florida Disaster Medical Coalition</p>
i.	<p>N-Hour Sequence: Immediate</p>	j.	<p>Special Instructions:</p>
k.	<p>Cost Per Day: Personnel: N/A (Hospitals and other members provide personnel) Equipment: Equipment is based upon hospital size (see CFDMC minimum Equipment list) Small Hosp./FSED \$55,000, Medium size hospitals \$90,000 and large \$110,000 package cost (Coalition funds equipment; see CFDMC Equipment Policy) Total: Any equipment not returned in working order, replacement/rehab costs.</p>		

--	--